

STIC Biotechnology Systems Branch**CRF Problem Report**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) experienced a problem when processing the following computer readable form (CRF):

Application Serial Number: 10/567,765
 Filing Date: 02/10/2006
 Date Processed by STIC: 02/28/2006

STIC Contact: Mark Spencer: Telephone: 571-272-2510; Fax: 571-273-0221

Nature of CRF Problem:

- ☒ (circle one) Damaged or Unreadable (for Unreadable, see attached)
☐ Blank (no files on CRF) (see attached)
☐ Empty file (filename present, but no bytes in file) (see attached)
☐ Wrong file saved to CRF (invention title, docket number, or applicant(s) do not match those in official application) (see attached)
☐ Not saved in ASCII text
☐ Sequence Listing was embedded in the file. According to Sequence Rules, submitted file should only be the Sequence Listing.
☐ Did not contain a Sequence Listing. (see attached sample)
☐ Other:

**PLEASE USE THE CHECKER VERSION 4.4.0 PROGRAM TO REDUCE ERRORS.
 SEE BELOW FOR ADDRESS:**

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

1. EFS-Bio (<http://www.uspto.gov/ebs/efs/downloads/documents.htm>), EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
 U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/20/06

BEST AVAILABLE COPY

Sample of Submitted file

10/567,765

02/28/2006

IFWP

Microsoft(R) Windows 98

(C) Copyright Microsoft Corp 1981-1999.

C:\WINDOWS>R:

Not ready reading drive R

Abort, Retry, Fail?F

R:\>

BEST AVAILABLE COPY